

AutoCAD 2006: One Step at a Time

Review Questions – Lesson 6

6.10

Review Questions

Please write your answers on a separate sheet of paper.

1. (T or F) As a rule, the user should not combine the simple color and linetype command approach with the layer approach.
2. The color selection drop-down box is located on the _____ toolbar.
3. The _____ color selection assigns colors according to the current layer setting.

To reach the Select Color dialog box, pick the (4) option from the color selection box, or type (5).

4.

5.

List AutoCAD's seven primary colors.

6. _____ 10.

7. _____ 11.

8. _____ 12.

9.

To assign a color that is not one of AutoCAD's primary colors, select it from the (13) or type its number code in the (14) box of the Select Color dialog box.

13.

14.

15. To match paint colors used by the Pantone company, go to the _____ tab of the Select Color dialog box.

16. To get to the Load or Reload Linetypes dialog box, pick the _____ button on the Linetype Manager.

17. What is the name of the default file in which AutoCAD's linetype definitions are stored?

18. To select more than one linetype at a time to load, hold down the _____ key while selecting the linetypes.


To adjust the size of dashes and spaces in dashed lines to the scale of the drawing, set the (19) sysvar to the scale (20) of the drawing.

19.

20.

21. (T or F) Layer settings override color and linetype settings.

Identify these layer symbols:



An asterisk entered at a command prompt is a (27), which means (28).

27.

28.

29. You must make a layer _____ before you can use it.

30. To set a layer current, select it in the _____ box.

Identify these buttons:



31. 32. 33.

34. What command will you use to change an object's properties? _____

35. Use the _____ to copy layer definitions from one drawing to another.

36. A layer refers to

- a) the color of an object
- b) the linetype of an object
- c) a set of predefined colors and linetypes

37. The Layer Properties Manager can be called by typing

- a) layer
- b) the two-letter hotkey LA
- c) Help

38. If a layer is frozen it means that

- a) you can't see the layer but it will regenerate anyway
- b) you can't see the layer and it will not regenerate

39. (T or F) You need to be in the Layer Properties Manager to make a layer current.

You can also use the Layer control box to manipulate the visibility as well as other attributes of a layer.

40. (T or F) Pick the Make Object's Layer Current button and then pick an object in the drawing to make that object's layer current.

41. (T or F) The user can type ADCenter or ADC to open the AutoCAD Design Center. You may also pick the ADC button on the Standard toolbar.

42. (T or F) The ADC can import layers, blocks, dimstyles, text styles, and linetypes from other drawings.
43. Open the Properties Palette by
- a) typing Properties or Props at the command prompt
 - b) picking the Properties button on the Object Properties toolbar
 - c) picking Properties from the Tools pull down menu
 - d) all of the above
44. WYSIWYG means _____.
45. Use the _____ to translate existing layers to meet a set standard.

Answers

1. T
2. Properties
3. Bylayer
4. Other
5. Color
6. White
7. Red
8. Green
9. Blue
10. Yellow
11. Cyan
12. Magenta
13. Select Color dialog box
14. Color
15. Color Books
16. Load
17. Acad.Lin
18. Control
19. Ltyscale
20. Factor
21. F
22. On/Off Toggle
23. Frozen/Thawed Toggle
24. Locked/Unlocked Toggle
25. Color pick
26. Plot Toggle
27. Wildcard
28. All
29. Current
30. Layer Control
31. Layers
32. Make Object's Layer Current
33. Properties
34. Properties
35. ADC
36. c
37. a & b
38. b
39. F
40. T
41. T
42. T
43. d
44. What You See Is What You Get
45. Layer Translator