

AutoCAD 2006: One Step at a Time

Review Questions – Lesson 22

22.9

Review Questions

Please write your answers on a separate sheet of paper.

1. A _____ can be considered a window into your drawing.

The two types of viewports are (2) and (3)

2.

3.

The two ways to tell which Space you are using are (4) and (5).

4.

5.

The keyboard approach to switching between Model Space and Paper Space is by using the commands (6) (or its hotkey “ms”) or (7) (or its hotkey “ps”).

6.

7.

8. Use _____ viewports in Model Space.

9. Access the Viewports dialog box using the _____ command.

10. (T or F) It’s possible to place a viewport configuration into a single active viewport.

It’s easy to tell the difference between active and inactive viewports. Active viewports present (11) while inactive viewports present a (12).

11.

12.

13. To activate a viewport, place the cursor in it and pick once with the _____.

14. (T or F) Tiled viewports will plot, so it’s important to have them set up properly.

15. Layers behave _____ in tiled viewports.

16. If you need to reenter the Page Setup dialog box, use the _____ command.

17. (T or F) You can rename a layout tab to help keep track of what’s on it.

18. Paper Space drawings should be plotted at a scale of _____.

19. The UCS icon becomes a _____ when in Paper Space.

20. (Floating, Tiled) viewports are objects that can be moved.

21. (T or F) Floating viewports must be rectangular.
22. (T or F) Unlike tiled viewports, more than one floating viewport can be active at a time.
23. (T or F) You can work in Model Space from a Layout tab.
24. Use the _____ command to create floating viewports.
25. Use the _____ command to convert tiled viewports to floating viewports.
26. (T or F) Once a floating viewport has been created, it can't be modified.
27. Set a ¼"=1'-0" scale in a floating viewport by using the _____ command.
28. If you don't want to use the command in #27, you can use the _____ on the Viewport toolbar.
29. (T or F) Titled viewports are the same as floating viewports.
30. (T or F) All viewports in a titled viewport are active.
31. (T or F) The Setup control box in titled viewports will have only the 2-D option.
32. (T or F) The active viewport only will have crosshairs while inactive viewports will have a cursor arrow.
33. When the user opens flr-plna.dwg file and types VPorts at the command prompt
 - a) a dialog box showing standard viewport configurations will appear
 - b) a dialog box with a preview frame will appear
 - c) a suggested viewport arrangement will appear
34. (T or F) You can change the name on a Layout tab by selecting New layout on the right click cursor menu.
35. (T or F) While in Paper Space, the user may erase any part of the drawing.
36. (T or F) When Save is selected on the layout tab's cursor menu, AutoCAD replaces the default layout setup with the current setup.
37. The dashed outline shows the limits of the working area on a page and
 - a) is the only area in which you should work
 - b) can be hidden with the Hide command
38. Use the MView command to
 - a) convert existing closed objects to floating viewports
 - b) insert a title block
 - c) create new floating viewports

39. The option of the MView command used to create floating viewports of any size or shape is
- a) Restore
 - b) Fit
 - c) Polygonal.
40. (T or F) The Fit option – where the user may pick two diagonal points any distance from one another to make a viewport of any size – is the default for the MView command.
41. (T or F) To use the wizard you can type layoutwizard, or go to the tools pull-down menu.
42. (T or F) At the LayoutWizard command, the Create Layout - Begin dialog box will appear where the name of the layout may be entered.
43. (T or F) The default layout is Portrait.
44. In the Layout - Pick Location box, Select Location refers to: 1) an array of viewports, 2) a single viewport location.
45. (T or F) With the Layout Wizard, the user must tell AutoCAD to use Inches or Millimeters in the Paper Size dialog box.

Answers

- | | |
|--------------------------|-----------------------|
| 1. Viewport | 24. MView |
| 2. Tiled | 25. MView |
| 3. Floating | 26. F |
| 4. UCSIcon | 27. Zoom |
| 5. Status bar | 28. Scale control box |
| 6. MSpace | 29. F |
| 7. PSpace | 30. F |
| 8. Tiled | 31. F |
| 9. Viewports (or vports) | 32. T |
| 10. T | 33. a & b |
| 11. Crosshairs | 34. F |
| 12. Cursor arrow | 35. F |
| 13. Left mouse button | 36. T |
| 14. F | 37. a |
| 15. Universally | 38. all are correct |
| 16. Pagesetup | 39. c |
| 17. T | 40. T |
| 18. 1:1 | 41. T |
| 19. Triangle | 42. T |
| 20. Floating | 43. F |
| 21. F | 44. b |
| 22. F | 45. T |
| 23. T | |